

2018 P4P Best Practice Guidelines

ENSURE THAT EVERY PATIENT VISIT IS DOCUMENTED AND BILLED				
Measure	Who it applies to	Frequency	Qualified Event(s) and accepted codes	
BREAST CANCER SCREENING (BCS)	Females 50-74 yrs	Every 2 years	Mammogram	
CHLAMYDIA SCREENING IN WOMEN (CHL)	Females 16-24 yrs identified as sexually active	Annually	Chlamydia test (87110, 87270, 87320, 87490-87492, 87810)	
COLORECTAL CANCER SCREENING (COL)	Males and Females 50-75 yrs	Annually	FOBT (82270, 82274)	
		Every 5 years	Flexible Sigmoidoscopy	
		Every 10 years	Colonoscopy	
EVIDENCE-BASED CERVICAL CANCER SCREENING (ECS)	Females 21-65 yrs and 67+ (66 yr olds are excluded due to the 3 yr look back period. Depending on where their bday falls, they fall into Appropriately Screened and Screened too Frequently)	Every 3 years	1 Pap test: females 21-65 yrs w/ no hysterectomy (88141-88143, 88147, 88148, 88150, 88152-88155, 88164-88167, 88174, 88175)	
		Every 5 years	1 Pap test: females 21-65 yrs w/ no hysterectomy AND an HPV test tested at the same time	
		None	No Pap test: females 21-65 yrs with a hysterectomy and females 67+	
		Excluded	Females who have been DX with HPV or Cervical Cancer are excluded from this measure ICD-10 (Cervical Cancer) C53.0, C53.1, C53.8, C53.9 ICD-10 (HPV) R87.810, R87.811, R87.820, R87.821	
IMMUNIZATIONS FOR ADOLESCENTS (IMA)	Males and Females who turn 13 in 2015	1 between 11 and 13 yrs	Meningococcal (90733, 90734)	
		1 between 10 and 13 yrs	Tdap (90715) OR Td (90714, 90718)	
		3	HPV vaccinations between 9 and 13 (90649 or 90650)	
USE OF IMAGING STUDIES FOR LOW BACK PAIN (LBP)	Members 18-50 yrs with primary dx of low back pain		DID NOT have an imaging study (MRI, x-ray or CT scan) within 28 days of dx	
ANNUAL MONITORING FOR PATIENTS ON PERSISTENT MEDICATIONS (MPM)	Members 18+ yrs who rcvd at least a 180 treatment days of one of the following: ACE Inhibitors or ARBs, Digoxin or Diuretics	Annually	1 of the following: a lab panel test, a serum potassium and serum creatinine, or a serum potassium and blood urea nitrogen	
PROPORTION OF DAYS COVERED BY MEDICATIONS (PDC)	Males and Females 18+ who filled at least 2 prescriptions for one of the following:		Oral diabetes medication	Compliance is based on the proportion of days covered threshold of 80% for these medications
			Renin Angiotensin System Antagonists	
			Statin medications	
COORDINATED DIABETES CARE	Males and Females 18-75 yrs with diabetes (Type 1 and Type2)	Annually	Eye Exam	By eye care professional
			Monitoring Diabetic Nephropathy	Nephropathy Screening test, Urine microalbumin test, received medical attention for Nephropathy, OR ACE inhibitor/ARB therapy
			HbA1c Control	<8.0%
			Blood Pressure reading (result of <140/80)	Systolic: 3074F, 3075F, 3077F; Diastolic: 3078F, 3079F, 3080F
CHILDHOOD IMMUNIZATION STATUS (CIS)	Males and Females who turn 2 in 2015 and have received the following:	4	DTaP	90698, 90700, 90721, 90723
		3	IPV	90698, 90713, 90723
		1	MMR	90707 or 90710
		3	HiB	90645-90648-90698, 90721, 90748
		3	Hep B	90723, 90740, 90744, 90747, 90748
		1	VZV	90710 or 90716
		4	PCV	90669 or 90670
		1	Hep A	90633
		2 or 3	Rotavirus	90681 or 90680
Avoidance of Antibiotic Treatment for Adults w/ Acute Bronchitis (AAB)	Adults 18-64 yrs w/ dx of acute bronchitis		No antibiotic prescription given	
Asthma Medication Ratio (AMR)	Members 5-64 who were identified as having persistent asthma		Ratio of controller medications to total asthma medication of .50 or greater	Ratio = Units of Controller Meds divided by Units of Controller Meds + Units of Reliever Meds
Appropriate Testing for Children with Pharyngitis (CWP)	Children 2-18 who were diagnosed w/ pharyngitis		Dispensed an antibiotic and received a group A strep test	
Appropriate Treatment for Children with Upper Respiratory Infection (URI)	Children 3 mths-18 yrs given dx of upper respiratory infection		No antibiotic prescription given	
Statin Therapy for Patients with Diabetes (SPD)	Males and Females 40-75	Annually	Statin medications	Compliance is based on a statin medication being dispensed to the member
Statin Therapy for Patients with Cardiovascular Disease (SPC)	Males 21-75 and Females 40-75 who are identified as having ASCVD	Annually	Statin medications	Compliance is based on a statin medication being dispensed to the member